



BELGIAN CONSTRUCTION CERTIFICATION ASSOCIATION  
**BCCA**  
Rue d'Arlon 53  
B - 1040 BRUXELLES



## EC-CERTIFICATE OF CONFORMITY

0749 – CPD

**BC1 - 511 - 3867 - 3904 - S00A**

In compliance with the Directive 89/106/EEC of the Council of European Communities of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to the construction products (Construction Products Directive - CPD), amended by the Directive 93/68/EEC of the Council of European Communities of 22 July 1993, it has been stated that the factory made mineral wool (MW) product used for the thermal insulation of buildings

### SPACE ROLL 039

placed on the market by

**Knauf Insulation OOO**  
**142800 Moscow region, Stupinsky district,**  
**Stupino, Industrialnaya St., State 2**  
**Russia**

And produced in the factory

**Knauf Insulation OOO – Stupino – Russia**

Is submitted by the manufacturer to a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan. The approved body BCCA has performed the initial type-testing for the relevant characteristics of the product as listed on page 2 of this certificate, the initial inspection of the factory and the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.

This certificate attests that all provisions concerning the attestation of conformity and the performances described in annex ZA of the standard

**NBN EN 13162 : 2008**

**NBN EN 13172 : 2008**

were applied and that the factory production control systems fulfils the prescribed requirements.

This certificate was first issued on 01.06.2010 and remains valid as long as the conditions laid down in the harmonised technical specification in reference and the manufacturing conditions in the factory and the FPC itself are not modified significantly and latest on 31.05.2015. The validity of this certificate shall be confirmed by BCCA once a year. On any substantiated request, BCCA will give information about the validity of the certificate.

Brussels, 01.06.2010



021-PROD

B. De Blaere  
Director



BELGIAN CONSTRUCTION CERTIFICATION ASSOCIATION  
**BCCA**  
Rue d'Arlon 53  
B - 1040 BRUXELLES



## EC-CERTIFICATE OF CONFORMITY

0749 - CPD

BC1 - 511 - 3867 - 3904 - S00A

### SPACE ROLL 039

MW - EN 13162 - T2

Thermal Conductivity $\lambda_D$ (W/m.K)	0,039
Thickness Range (mm)	40-260
Reaction to Fire (Euroclass)	A1

